Safety Data Sheet

Issue Date: 27-Nov-2023 **Revision Date:** 27-Nov-2023 **Version** 1

1. IDENTIFICATION

Product identifier
Product Name ResinForce Low Viscosity Metallic Epoxy Part B

Other means of identification
SDS # RESIN-019

UN/ID No UN3267

Recommended use of the chemical and restrictions on use
Recommended Use UV stable Low viscosity Epoxy Coating.

Details of the supplier of the safety data sheet
Supplier Address
Resinforce Products LLC
12 Pixley Industrial Parkway
Rochester, NY 14624
Phone: (585) 623-5075

Emergency telephone number
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid **Physical state** Liquid

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2

Signal Word
Danger

Hazard statements
Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause an allergic skin reaction
Suspected of damaging fertility or the unborn child

Precautionary Statements - Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response
Immediately call a poison center or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting

Precautionary Statements - Storage
Store locked up

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

Other hazards
Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Isophorone diamine	2855-13-2	10-30
Bisphenol A diglycidyl ether	1675-54-3	10-30
Benzyl alcohol	100-51-6	1-10
4-Nonylphenol, branched	84852-15-3	10-30

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Immediately call a poison center or doctor/physician.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

Ingestion Call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms May be harmful in contact with skin. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media
In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO2).

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical
During fire, nitrous gases, fumes/smoke, isocyanates and vapor may be formed.

Protective equipment and precautions for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up For containment, ensure adequate ventilation and absorb any spill with inert liquid binding material and dispose of waste safely.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible Materials Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls Local exhaust ventilation required. Make up air should be supplied to balance air that is removed by local or general exhaust ventilation. Provide sufficient ventilation to keep vapors below permissible exposure limit. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use tightly sealed goggles or safety glasses with side shields which are resistant to Chemicals. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear chemical resistant protection gloves. Wear impervious clothing as necessary to protect against coming in contact with product. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection If insufficient ventilation, wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Do not eat, drink or smoke during work. Avoid all contact with skin or eye. If clothing comes into contact with material, do not allow out of the workplace. Clean hands and any exposed skin thoroughly after work and before breaks.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	Clear liquid	**Odor**	Not determined
Color	Colorless	**Odor Threshold**	Not determined

Property	**Values**	**Remarks • Method**
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	>93 °C / >199.4 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor Pressure	Not determined	
Vapor Density	No data available	

Property	Values	Remarks • Method
Relative Density	0.9-1.0	
Water Solubility	Partially soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	No data available	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity
Not reactive under normal conditions.

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
This product will polymerize if mixed with an epoxy resin. Considerable heat can evolve.

Conditions to Avoid
Avoid temperatures exceeding the flash point. Epoxy resins under uncontrolled conditions.

Incompatible materials
Strong oxidizing agents. Strong acids.

Hazardous decomposition products
None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Harmful if inhaled.

Ingestion Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A diglycidyl ether 1675-54-3	= 11300 µL/kg (Rat)	= 20000 mg/kg (Rabbit)	-
Isophorone diamine 2855-13-2	= 1030 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.01 mg/L (Rat) 4 h 1.07 - 5.01 mg/L (Rat) 4 h
Polyoxypropylenediamine 9046-10-0	= 1100 mg/kg (Rat)	= 1555 mg/kg (Rabbit)	> 0.74 mg/L (Rat) 8 h
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m^3 (Rat) 4 h
4-Nonylphenol, branched 84852-15-3	= 1300 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe skin burns.

Serious eye damage/eye irritation Causes severe eye damage.

Sensitization May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Bisphenol A diglycidyl ether 1675-54-3		Group 3		

Legend
IARC (International Agency for Research on Cancer)
Group 3 IARC components are "not classifiable as human carcinogens"

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 767.70 mg/kg
Dermal LD50 2,198.60 mg/kg
ATEmix (inhalation-dust/mist) 1.31 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity
Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Isophorone diamine 2855-13-2	EC50: =37mg/L (72h, Desmodesmus subspicatus)		EC50: 14.6 - 21.5mg/L (48h, Daphnia magna)
Benzyl alcohol 100-51-6		LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	EC50: =23mg/L (48h, water flea)
Nonyl phenol 84852-15-3	EC50: 0.36 - 0.48mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.16 - 0.72mg/L (72h, Pseudokirchneriella subcapitata) EC50: =1.3mg/L (72h, Desmodesmus subspicatus)	LC50: =0.135mg/L (96h, Pimephales promelas) LC50: =0.1351mg/L (96h, Lepomis macrochirus)	EC50: =0.14mg/L (48h, Daphnia magna)

Persistence/Degradability
Not determined.

Bioaccumulation
There is no data for this product.

Mobility

Chemical name	Partition coefficient
Isophorone diamine 2855-13-2	0.99
Bisphenol A diglycidyl ether 1675-54-3	2.33
Benzyl alcohol 100-51-6	1.05
4-Nonylphenol, branched 84852-15-3	5.4

Other adverse effects
Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT
UN/ID No UN3267
Proper Shipping Name Corrosive liquid, basic, organic, n.o.s. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es) 8
Packing Group II

IATA
UN number or ID number UN3267
Proper Shipping Name Corrosive liquid, basic, organic, n.o.s. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es) 8
Packing group II

IMDG
UN number or ID number UN3267
Proper Shipping Name Corrosive liquid, basic, organic, n.o.s. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es) 8
Packing Group II
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Bisphenol A diglycidyl ether	X	ACTIVE	X	X	X	X	X	X	X
Isophorone diamine	X	ACTIVE	X	X	X	X	X	X	X
Polyoxypropylenediamine	X	ACTIVE	X		X	X	X	X	X

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Benzyl alcohol	X	ACTIVE	X	X	X	X	X	X	X
4-Nonylphenol, branched	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA *- United States Toxic Substances Control Act Section 8(b) Inventory*

DSL/NDSL *- Canadian Domestic Substances List/Non-Domestic Substances List*

EINECS/ELINCS *- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

ENCS *- Japan Existing and New Chemical Substances*

IECSC *- China Inventory of Existing Chemical Substances*

KECL *- Korean Existing and Evaluated Chemical Substances*

PICCS *- Philippines Inventory of Chemicals and Chemical Substances*

AICS *- Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nonyl phenol - 84852-15-3	84852-15-3	10-30	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isophorone diamine 2855-13-2	X		
Benzyl alcohol 100-51-6		X	X

16. OTHER INFORMATION

NFPA	**Health hazards**	**Flammability**	**Instability**	**Special hazards**
	-	-	-	-
HMIS	**Health hazards**	**Flammability**	**Physical hazards**	**Personal Protection**
	-	-	-	Not determined

Issue Date: 27-Nov-2023
Revision Date: 27-Nov-2023
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet