

Issue Date: 04/07/2023

Revision:

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: EPOXY ACCELERATOR**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- No further relevant information available.
- **Application of the substance / the mixture:** Epoxy Additive
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Distributor/Supplier:**
ResinForce Products, LLC
12 Pixley Industrial Pkwy, Box 7
Rochester, NY 14624
Telephone (585) 623-5075
- **1.4 Emergency telephone number:**
CHEMTEL 800-255-3924 (United States & Canada)

2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Acute Tox. 4; H302: Harmful if swallowed.

Skin Irrit. 2; H315: Causes skin irritation.

Eye Irrit. 2; H319: Causes serious eye irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R22: Harmful if swallowed.



Xi; Irritant

R36/38: Irritating to eyes and skin.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 1)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**

2,4,6-tris(dimethylaminomethyl)phenol

· **Hazard statements**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

· **Precautionary statements**

P280: Wear protective gloves / eye protection.

P264: Wash thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313 : If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

· **Hazard description:**

· **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

E - Corrosive material



· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

· **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 2)

· **vPvB:** Not applicable.

3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

| | | |
|--------------------------------|---|-------|
| · Dangerous components: | | |
| CAS: 90-72-2 | 2,4,6-tris(dimethylaminomethyl)phenol | > 85% |
| EINECS: 202-013-9 | Xn R22; Xi R36/38 | |
| Index number: 603-069-00-0 | Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 | |

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
Provide oxygen treatment if affected person has difficulty breathing.
- **After skin contact:**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Irritant to skin and mucous membranes.
Irritant to eyes.
Gastric or intestinal disorders.
Cramp
Thirst
- **Hazards** Danger of disturbed cardiac rhythm.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Monitor circulation, possible shock treatment.
Do not administer preparations of the adrenalin-ephedrine-group.

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.

(Contd. on page 4)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 3)

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with oxidizing and acidic materials.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 4)

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

- **Eye protection:**

Contact lenses should not be worn.



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

(Contd. on page 6)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 5)

- **Risk management measures**
See Section 7 for additional information.
No further relevant information available.

9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- | | |
|------------------|-----------------------|
| Form: | Liquid |
| Colour: | Clear to straw color. |
| Odour: | Ammonia-like |
| Odour threshold: | Not determined. |

- **pH-value at 20 °C:** 11,0 (10% aqueous soln)

- **Change in condition**

- | | |
|------------------------------|-----------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 212 °F / 100 °C |

- **Flash point:** 284 °F / 140 °C

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

- | | |
|--------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |

- **Vapour pressure:** Not determined.

- **Density at 25 °C:** 0,98 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

- | | |
|------------|-----------------|
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |

(Contd. on page 7)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 6)

- **9.2 Other information** No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong acids and oxidizing agents.
Reacts with many consumer products, releasing chlorine or chlorine oxide gas.
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **10.5 Incompatible materials:**
Warning! Do not use together with other products. May release dangerous gases (chlorine).
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
Irritant gases/vapours
Corrosive gases/vapours

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values relevant for classification:**
Oral LD50 1200 mg/kg (rat)
Dermal LD50 1280 mg/kg (rabbit)
- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 8)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR


(Contd. of page 7)

- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| | |
|--|--|
| <ul style="list-style-type: none"> · 14.1 UN-Number · DOT, ADR, IMDG, IATA | <p style="text-align: center;">UN2735</p> |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · DOT · ADR · IMDG, IATA | <p>Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethyl-aminomethyl)phenol)</p> <p>2735 Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethyl-aminomethyl)phenol)</p> <p>Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethyl-aminomethyl)phenol)</p> |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · DOT | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> · Class | <p style="text-align: center;">8 Corrosive substances.</p> |



(Contd. on page 9)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 8)

| | |
|---|---|
| <ul style="list-style-type: none"> · Label | 8 |
| <ul style="list-style-type: none"> · ADR | |
|  | |
| <ul style="list-style-type: none"> · Class · Label | 8 (C7) Corrosive substances. 8 |
| <ul style="list-style-type: none"> · IMDG, IATA | |
|  | |
| <ul style="list-style-type: none"> · Class · Label | 8 Corrosive substances. 8 |
| <ul style="list-style-type: none"> · 14.4 Packing group · DOT, ADR, IMDG, IATA | III |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: | No |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups | Warning: Corrosive substances. 80 F-A, S-B Alkalis |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · Transport/Additional information: | |
| <ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code | 5L 3 E |
| <ul style="list-style-type: none"> · UN "Model Regulation": | UN2735, Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethyl- aminomethyl)phenol), 8, III |

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

(Contd. on page 10)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 9)

· **TSCA (Toxic Substances Control Act):**

90-72-2 | 2,4,6-tris(dimethylaminomethyl)phenol

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Canada**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

(Contd. on page 11)

Issue Date: 04/07/2023

Revision:

Trade name: EPOXY ACCELERATOR

(Contd. of page 10)

R22: Harmful if swallowed.
R36/38: Irritating to eyes and skin.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent